

MECHINEST Trade

S. No.	Item Name	Specifications	GTVC (B) Tank	GTVC (B) Chakdara	GTVC (B) Ghazi Haripur	GTVC (B) Mansehra	GTVC (B) Swat	GTVC(B) Gulbahar Psh	QTY	Unit Price (Inclusive All Taxes & Transportation)	Total Price (Inclusive All Taxes & Transportation)
1.	Universal indexing Head with gear train tail stock dead center	for Universal Milling for 4 mm Lead Screw Pitch			1				1		
2.	Triangular File Rough with handle	12"or 300mm			6				6		
3.	Triangular File with handle	10"	6						6		
4.	Triangle File with handle	10 inch		24					24		
5.	Tri Square	6 inch		12					12		
6.	Tool Kit complete Set	16 pieces			2				2		
7.	Tool Angle Gauge	60 & 55 degree			6				6		
8.	Thread Pitch Gauge (Degree)	60 &55 matric/inches China		6	6				12		
9.	Tap & Die set	Set 5 to 20			2				2		
10.	Surface gauge	12 inch	6	6					12		
11.	Steel rule	12 inch		24					24		

12.	Square File Rough	12" or 300mm			6				6	
13.	Square File	10 inch	6	24					30	
14.	Spanner Set	5-25 mm		2					2	
15.	Snap gauge Set	5-25 mm		2					2	
16.	simple Vernier Height Gauge	0 to 300mm			2				2	
17.	Simple Vernier Caliper	0 to 150 mm			6				6	
18.	simple Micro Meter	0 to 25 mm			6				6	
19.	simple Depth Vernier	0 to 150 mm			2				2	
20.	Side Milling Cutter	HSS 4 inch Dia		4					4	
21.	Shell and mill	4 inch		4					4	

22.	Shaper Machine	Table top surface 460 x 360 mm or more wide Table travel: Horizontal 400 mm or more Vertical 275 mm or more Stroke: 150 mm or more Machine vice :Jaws width 60 mm or more Jaws open 300 mm or more Electric outfit for AC 400/3/50 Instruction and Maintenance manuals are requested.				1			1		
23.	Screw wrench	8,10,12 inch		2					2		
24.	Round File Rough with handle	12" or 300mm			6				6		
25.	Round File with handle	10 inch	6	24					30		
26.	Ring Gauge Set	5-25 mm		2					2		
27.	Rasp cut	10"	6						6		
28.	Power Hack Saw Hydraulic	18 inch		1					1		
29.	Plug Gauge Set	5-25 mm		2					2		
30.	Plier flat with handle	8"	6						6		
31.	Plain Milling	Inch 4" Plain			2				2		

	Vice 4"									
32.	Plain Milling Cutter	HSS 3 inch Dia		4					4	
33.	Plain Milling Cutter	HSS 2 inch Dia		4					4	
34.	Milling vice	Swivel 06						1	1	
35.	Milling Arbor	Dia 22 mm, Dia 28 mm						2	2	
36.	Micro meter out side	125-150mm		6					6	
37.	Micro meter out side	100-125mm		6					6	
38.	Micro meter out side	75-100mm		6					6	
39.	Micro meter out side	50-75mm		6					6	
40.	Micro meter out side	25-50mm		6					6	
41.	Micro Meter out side	0-25 mm		6					6	
42.	Micro Meter inside(set)	0-500mm		3					3	
43.	Micro meter Depth	0-500 mm		3					3	
44.	Magnetic Stand for dial indicator	12 inch height		6					6	

45.	Lathe Machine with self centre and independent chucks	Swing:Over cross slide: 200 mm or more Over bed: 250 mm or more Distance between centers: 800 mm or more Metric threads needed Tail Stock with MT No. 3 center Chuck : 4 Jaw independent 250 mm dia. : 1 pc Scroll chuck: 200 mm dia. : 1 pc Instruction and Maintenance manuals are requested Electric outfit for AC 400/3/50				6			5		
46.	Knife Edge File Rough	12" or 300mm			6				6		
47.	HAND ELECTRICAL DRILL MACHINE	ELECTICAL DRILL MACHINE 1/16 TO 1/2hp					2		2		
48.	Half Round File Rough with handle	12" or 300mm			6				6		
49.	Half Round File with handle	10 inch		24					24		
50.	Hack saw Frame	12"		12					12		
51.	Grip Plier	8"	6						6		

52.	Grinder 8" Heaving Duty ball bearing type with pedestal	440 Volt			1				1		
53.	Flat File	10 inch		24					24		
54.	Flat File Rough Bastered Cut	10 inch	2						2		
55.	Flat File Rough	12" or 300mm			12				12		
56.	Electric motor for lathe machine (three) jaws chuck	1 HP				4			4		
57.	Drill chunk with shank	(01-13 mm)						2	2		
58.	Drill Chuck with sleeves	1 to 13 mm			4				4		
59.	Dove Tail milling cutter	2 inch		4					4		
60.	Digital Vernier Caliper	0-300mm, 0-12 inches						10	10		
61.	Digital Vernier Caliper	0-150mm, 0-06 inches		6				10	10		
62.	Digital Micro Meter China	25-50 mm out side		6					6		
63.	Digital Micro Meter China	0-25 mm out side		6					6		
64.	Digital Micro	25-50 mm						6	6		

	Meter										
65.	Digital Micro Meter	0-25 mm, 0-01 inch						6	6		
66.	Dial Indicator (round)	0.001 inch		6					6		
67.	Dial Indicator (round)	0.01 mm		6					6		
68.	Dial Indicator (needle type)	0.001 inch height		6					6		
69.	Dial Indicator (needle type)	0.01 mm		6					6		
70.	Combination Set	Medium size		2					2		
71.	CNC Milling Chunk	(BT 40- Er 40-100) C.Standrad						5	5		
72.	Apron	XL		3					3		
73.	Flat File Smooth with handle	10"	6						6		
74.	VERNIER CALIPER	0... 150MM	12						12		
75.	SCREW GUAGE	0..25	12						12		