

TAILORING Trade

S. No.	Name of Item	Specification	GTVC (B) Tank	GTVC (B) Chitral	GTVC (B) Dikhan City	GTVC (B) Gulbahar Psh	Quantity Required	Unit Price (Inclusive All Taxes & Transportation)	Total Price (Inclusive All Taxes & Transportation)
1.	OVERLOCK DAFETY STITCH MACHINE	OVERLOCK DAFETY STITCH MACHINE (CHINA) WITH TABLE AND COMPLETE ACCESSORIES HEAVY DUTY INDUSTRIAL MOTOR , Stich type: 3-needle safety stitching Max. sewing speed: 7,000sti/min Stitch length: 0.6~3.8mm Needle gauge(mm): 5.0+2.0 Over edging width(mm): 3.0			2		2		
2.	Button Hole Machine Heavy Duty with Motor/ Table	Type of sewing material light, mediumType of buttonhole machine mechanical Button hole type lockstitch buttonhole Button hole width 2.5 - 5.0 mm Button hole length6.4 - 25.4 mm Length of the cutting knife6.4 - 19.5 mm Max. sewing speed 3600 s.p.m.Needle system 135x5Lubricating fully – rotary type,	1				1		
3.	Bracket Fan	18"				10	10		
4.	Drill Machine pedestal type	1HP, 220V		1			1		
5.	Electric Iron	Steam Iron, Voltage 230, Water tank 300 MI, 2600 watt, Style :Dry/Steam/ Spray				20	20		
6.	Gas Cylinder	4 Kg	4				4		

	(Empty)								
7.	Gas Iron with all Accessory		4				4		
8.	Hanger Stand	Steel	4				4		
9.	Heavy Duty Fabric Cutting Machine	Power 750 Watt, feature Knife Sharpener, Automatic Grade Manual, 10				1	1		
10.	House Hold Sewing Machine Motor	Fine quality Body Shape :Round Machine Color :Black Motion of Thread Take Up Lever: Cam Motion Needle Bar Thread Guide : Curved type Needle Plate and Slide Plate: Slide Type Presser Foot :Medium Shank Pressure Adjustment :Screw Type 220V				20	20		
11.	IRON	Soleplate type: AL-Alloy volt:220-240 phase: single power: 750 Watt current: 3A Fuse: miniature time-delay.			5		5		

12.	Cover Stich Sewing Machine	Cylinder bed sewing machine Application Light to medium heavy material Max. sewing speed 5000 rom Max. stitch length 4.4 mm Lift of the presser foot 5.5 mm Needle type UY128GAS 9-14# Measurement 0.146 cbm		1			1		
13.	SEWING MACHINE INDUSTRIAL STRAIGHT STICH WITH TABLE ALONWITH ALL ACCESSORIES	Speed: 8700-max 5500.Clearance under foot: 5.5 by hand- by knee13mm Needle bar stroke: 30.7mm stitch length -maximum 5mm Bobbin-metal hook143342 Bed size: 7"×18 25/32"Automatic grade: ManualMax Sewing Speed: 2000-3000 stitch/min			4		4		
14.	Over Lock Machine with Moter/ Table		1				1		
15.	SESSIORS	SIZE 12"			10		10		

16.	Sewing Machine with table and motor	Fine quality Body Shape :RoundMachine Color :BlackMotion of Thread Take Up Lever: Cam Motion Needle Bar Thread Guide : Curved type Needle Plate and Slide Plate: Slide Type Presser Foot :Medium ShankPressure Adjustment :Screw Type Single phase Speed: high speed Excitation mode: HB hybrid No. of poles: 2 Industrial Sewing Machine Table, Stand White Wood Edged Material: wood Dimensions: 120x55mm	8	12			20		
17.	Solar Plate	150 W Cell	2				2		
18.	Stitch Full-size Sewing Machine	17 unique built-in stitches, including one 4-step auto-size buttonhole 4 included sewing feet: zigzag foot, zipper foot, buttonhole foot, button sewing foot Brightly lit LED-lit work area Free arm for sewing cuffs and sleeves Included instructional CD		1			1		