



PC-1

**150752-ONE LINER PROVISION FOR IMPROVEMENT &
DEVELOPMENT OF TECHNICAL EDUCATION
ADP.NO1087 FY 2020-21**

Sub Project: **Establishment of Govt Technical & Vocational Centre (M/F) in
Rented Building & Procurement of Equipment / Machinery
& Furniture at Maydan, Swat**

ESTIMATED COST

| Name of Items (Revenue) |
|--|
| Establishment of Govt Technical & Vocational Centre (M/F) in Rented Building & Procurement of Equipment / Machinery & Furniture at Madyan, Swat |

**Administrative Department
Industries, Commerce and Technical Education Department
Government: of Khyber Pakhtunkhwa.**

**Executing Authority
KHYBER PAKHTUNKHWA TECHNICAL EDUCATION AND VOCATIONAL TRAINING
AUTHORITY**

“SUMMARY/COST BREAK-UP (Annexure-A)”

| S.No | Items/Description | Cost In Million (Rs) |
|-------------|--|-----------------------------|
| 2 | Information Technology (Equipment’s & Machinery) | A1 |
| 3 | Hospitality/Hotel Management (Equipment’s & Machinery) | A2 |
| 4 | Beauty Therapy (Equipment’s & Machinery) | A3 |
| 5 | Dress Making & Design (Equipment’s & Machinery) | A4 |
| 8 | Provision of CCTV Cameras & Generator | A5 |

ANNEXTURE-A1

“Information Technology Computer and equipment’s list”

| S.No | Description | Qty |
|-------------|---|------------|
| 1. | Processor: 10th Generation Intel® Core™ i5-10400, 12 MB Cache, 6 Core, 12 Threads, 2.9 GHz to 4.3 GHz. Chipset: Intel B460 chipset or higher Memory: 8GB - DDR4, 2666MHz Hard Drive: 1TB 7200RPM 3.5" SATA HDD Optical Drive: 9.5 mm Slimline DVD +/- RW Graphics Card: Intel® UHD Graphics 630 with shared graphics memory or higher Communication: Gigabit Ethernet controller 10/100/1000 (RJ45) Ports: 2 USB 2.0(front), 2 USB 3.2 Gen 1 Type-A (front), 1 HDMI, 1 VGA 2 USB 3.2 Gen 1 Type-A (rear), 2 USB 2.0(rear), 1 RJ-45 Ethernet Wireless: Intel® Wireless-AC 3165 802.11ac 1x1 + Bluetooth 4.2 or higher Keyboard: USB Keyboard and Mouse Antivirus with 1 year subscription Display: 18.5" LED Warranty: 3-years Provision of Manufacturer / Distributor authorization letter in the name of undersigned is mandatory. | 25 |
| 2. | MULTIFUNCTIONAL PRINTER Functions: PRINT/SCANNER/COPY/FAX | 1 |
| 3. | MULTIMEDIA PROJECTOR with motorized Screen system. Type of display Poly-silicon TFT active matrix | 1 |

| | | |
|--|---|--|
| | <p>Resolution BrightLink 480i: 1024 × 768 pixels (XGA)</p> <p>BrightLink 475Wi/485Wi: 1280 × 800 pixels (WXGA)</p> <p>Lens F= 1.80 Focal length: 3.71 mm</p> <p>Color reproduction Full color, 16.77 million colors</p> <p>Brightness BrightLink 475Wi: Normal Power Consumption mode: White light output 2600 lumens (ISO 21118 standard) Color light output 2600 lumens ECO Power Consumption mode: White light output 1800 lumens (ISO 21118 standard) BrightLink 480i: Normal Power Consumption mode: White light output 3000 lumens (ISO 21118 standard) Color light output 3000 lumens ECO Power Consumption mode: White light output 1800 lumens (ISO 21118 standard) BrightLink 485Wi: Normal Power Consumption mode:</p> | |
|--|---|--|

| | | |
|--------------------------|---|--|
| | White light output 3100 lumens (ISO 21118 standard) | |
| | Color light output 3100 lumens | |
| | ECO Power Consumption mode: | |
| | White light output 1800 lumens (ISO 21118 standard) | |
| Contrast ratio | 3000 to 1 with Auto Iris on and Normal Power Consumption mode | |
| Image size | BrightLink 480i: 55.9 to 93.2 inches (1.42 to 2.37 m) | |
| | BrightLink 475Wi/485Wi: 60 to 100 inches (1.52 to 2.54 m) | |
| Projection distance | 13.7 to 23.5 inches (0.35 to 0.60 m) | |
| Projection methods | Front, wall or ceiling-mounted | |
| Optical aspect ratio | BrightLink 480i: 4:3 | |
| (width-to- height) | BrightLink 475Wi/485Wi: 16:10 | |
| Focus adjustment | Manual | |
| Zoom adjustment | Digital | |
| Zoom ratio | 1:1.35 | |
| (Tele-to-Wide) | | |
| Internal sound system | 16 W monaural | |
| Noise level | 35 dB (Normal Power Consumption mode) | |
| | 28 dB (ECO Power | |

| | | |
|--------------------|--|--|
| | <p>Consumption mode) Vertical: $\pm 5^{\circ}$ Horizontal: $\pm 5^{\circ}$ USB-B port compatibility USB 1.1 and 2.0 compliant for USB display or external mouse USB-A port compatibility One USB 1.1 and 2.0 compliant port for USB device input or EPSON document camera display</p> | |
| Type of display | Poly-silicon TFT active matrix | |
| Resolution | BrightLink 480i: 1024 x 768 pixels (XGA) BrightLink 475Wi/485Wi: 1280 x 800 pixels (WXGA) | |
| Lens | F= 1.80 Focal length: 3.71 mm | |
| Color reproduction | Full color, 16.77 million colors | |
| Brightness | BrightLink 475Wi: Normal Power Consumption mode: White light output 2600 lumens (ISO 21118 standard) Color light output 2600 lumens ECO Power Consumption mode: White light output 1800 lumens (ISO 21118 standard) BrightLink 480i: Normal Power Consumption mode: White light output 3000 lumens | |

| | | | |
|--|-------------------------|---|--|
| | | (ISO 21118 standard) | |
| | | Color light output 3000 lumens | |
| | | ECO Power Consumption mode: | |
| | | White light output 1800 lumens (ISO 21118 standard) | |
| | | BrightLink 485Wi: | |
| | | Normal Power Consumption mode: | |
| | | White light output 3100 lumens (ISO 21118 standard) | |
| | | Color light output 3100 lumens | |
| | | ECO Power Consumption mode: | |
| | | White light output 1800 lumens (ISO 21118 standard) | |
| | Contrast ratio | 3000 to 1 with Auto Iris on and Normal Power Consumption mode | |
| | Image size | BrightLink 480i: | |
| | | 55.9 to 93.2 inches (1.42 to 2.37 m) | |
| | | BrightLink 475Wi/485Wi: | |
| | | 60 to 100 inches (1.52 to 2.54 m) | |
| | Projection distance | 13.7 to 23.5 inches (0.35 to 0.60 m) | |
| | Projection methods | Front, wall or ceiling-mounted | |
| | Optical aspect ratio | BrightLink 480i: | |
| | | 4:3 | |
| | (width-to-height) | BrightLink 475Wi/485Wi: | |
| | | 16:10 | |
| | Focus adjustment | Manual | |

| | | |
|---------------------------|--|--|
| Zoom adjustment | Digital | |
| Zoom ratio | 1:1.35 | |
| (Tele-to-Wide) | | |
| Internal sound system | 16 W monaural | |
| Noise level | 35 dB (Normal Power Consumption mode) | |
| | 28 dB (ECO Power Consumption mode) | |
| Keystone correction angle | Vertical: $\pm 5^\circ$ Horizontal: $\pm 5^\circ$ | |
| USB-B port compatibility | USB 1.1 and 2.0 compliant for USB display or external mouse | |
| USB-A port compatibility | One USB 1.1 and 2.0 compliant port for USB device input or document camera display | |

ANNEXURE: A2

“List of Tools and Equipment’s for Hospitality (cook)”

| Sr. # | Item Description | Qty |
|-------|---|---------|
| 1. | Knives ; (different types), -peeling knives, carving knives, chef knives, sharpening steel etc 1 Sharpening stone | 20 sets |
| 2. | Graters | 3 |
| 3. | Measuring scale | 5 |
| 4. | Full Size Refrigerators (maintain temperature from 3 to 5 degrees) | 2 |
| 5. | Full Size Freezers (maintain temperature from -18 to -20 degrees) | 2 |
| 6. | Chopping boards (different colours – refer to HACCP regulations) | 12 |
| 7. | Pans (large, small, medium) 15-No’s (5 each), bowls | 5 |
| 8. | Sets measuring spoons 5 measuring cups | 5 |

| | | |
|-----|--|----|
| 9. | Measuring jugs/ cylinder 10 forks | 5 |
| 10. | Bread slicer | 1 |
| 11. | Mixers (large, small) | 2 |
| 12. | Blenders | 2 |
| 13. | Toasters | 2 |
| 14. | Tin openers | 5 |
| 15. | Peelers | 5 |
| 16. | Potato cutter | 1 |
| 17. | Choppers | 3 |
| 18. | Mincing machine 1 bone saw cutters 1 patties maker | 1 |
| 19. | Beaters | 2 |
| 20. | Mashers | 2 |
| 21. | Baking trays | 20 |
| 22. | Yolk separator | 5 |
| 23. | Burners/stoves | 8 |
| 24. | Each ovens (convection oven, deck oven, tandoori oven) 1 microwaves oven | 1 |
| 25. | Grill | 1 |
| 26. | Tilting pan | 1 |
| 27. | Steamer | 1 |
| 28. | Salamander | 1 |
| 29. | Panini machine | 1 |
| 30. | Wok | 1 |
| 31. | Blender heavy duty 20 bread pans | 1 |
| 32. | Bun pans | 20 |
| 33. | Baguette pans | 20 |

| | | |
|-----|---|----|
| 34. | Juicers | 2 |
| 35. | Juice extractor | 1 |
| 36. | Deep fryer | 1 |
| 37. | Rolling pins | 5 |
| 38. | Pastry brushes | 5 |
| 39. | Temperature probe | 5 |
| 40. | Manual Pasta machine 5 broacher scissors | 5 |
| 41. | Set of shape cutter 5 set of pizza pans 5 lemon quizzer | 5 |
| 42. | Pastry modules | 5 |
| 43. | Tarts modules | 5 |
| 44. | sets ladles | 5 |
| 45. | Conical sieves | 5 |
| 46. | Sifters (different size) 4 colanders | 5 |
| 47. | Lemon zester | 5 |
| 48. | Parisen spoon (melon scooper) 5 Slice turners | 5 |
| 49. | Set of shape cutter 5 set of pizza pans 5 lemon quizzer | 5 |
| 50. | Plates (different shape) 20 platters (different shape | 20 |
| 51. | Silver salvers | 20 |
| 52. | Serving dishes | 20 |
| 53. | Sauceboats | 20 |
| 54. | Recipes and methods of preparation and cooking 20 nutritional values charts | 25 |
| 55. | Tools and equipment for disposing of waste, including waste disposal units, recycling bins, garbage drums on wheels (foot operated) with garbage bags included. | 1 |
| 56. | Beef portion and cutting charts 4 Veal portion and cutting charts 4 Mutton portion cutting charts | 4 |
| 57. | Nozzle sets | 5 |

| | | |
|-----|--|----|
| 58. | Equipment and materials for washing hands, including sanitizing soap, suitable wash basin, hand towels, hand dryer. Illustrative range of emergency notices | 5 |
| 59. | First aid equipment: Food safety plasters, in a variety of different sizes and shapes; small, medium and large sterile gauze dressings; sterile eye dressings; triangular bandages; crêpe rolled bandages; safety pins; disposable sterile gloves; scissors; alcohol-free cleansing wipes; tape; distilled water, for cleaning wounds and as an eye bath | 1 |
| 60. | Example copy of logbooks for recording accidents and incidents | 1 |
| 61. | Small cleaning equipment to use for different tools and equipment, including cloths, dusters, mops, brushes, buckets 1 set large cleaning equipment, including dishwasher, jet washer, wet and dry vacuum cleaner | 5 |
| 62. | Black trousers White Chef's jacket White Chef's cap White neckerchief White apron | 25 |

Annexure:A3

“List of Tools and Equipment’s for Beauty Therapy (F)”

| S.No | Item Description | Qty |
|------|--|-----|
| 1. | <p>Hydraulic Chair Barber</p> <p>Chair</p> <p style="text-align: right;">Dimensions:</p> <p>Width: 81 cm</p> <p>Depth: 86 cm</p> <p>Height: 80 cm</p> <p style="text-align: right;">– Reclining back</p> <p>– Adjustable headrest</p> <p>– Hydraulic lift</p> <p>– Polyurethane armrest</p> <p>– Ergonomically designed back for proper support</p> <p>– Sturdy frame</p> <p>or equivalent</p> | 5 |

| | | |
|----|---|---|
| 2. | <p>High Chair Styling Chair Declinable with heavy round base and hydraulic comfortable chair Dimension: 25"W x 20"D x 34" - 42"H Round Base 22.25" Dia. 16"H/ 8" Lift/ Black Fabric Only U Footrest Standard or equivalent</p> | 5 |
| 3. | <p>Brushing Machine 10 in 1 (Vacuum. High Frequency, galvanic, wood lamp, magnifying glass, steamer) Features: 1. Restoration of soft and smooth skin 2. Exfoliate the dead skin cells to reveal the radiant and young skin 3. Cut and erase thin lines and black dots 4. 2 settings: "low" for daily cleaning, "high" for peeling 7. 5 nozzles included: soft brush, roller massager, make-up, latex sponge-soft, raw Polish accessory Specifications: 1. Powered by: 2 "AA" batteries 2. Dimensions: 130 x 70 x 48 mm 3. operating condition: temperature 10-40 's (50-104' f), humidity 30% -90% 4. This product is not waterproof and can not be used in the shower. or equivalent</p> | 3 |
| 4. | <p>Hair Dresses Chair/Stool • adjustable height • stain resistant black base with 5 legs • silent casters • 2 year warranty • ultra-white and ultra-resistant vinyl • partial assembly required • minimum height: 20 1/2" • maximum height: 27 1/2" or equivalent</p> | 5 |
| 5. | <p>Hair Crimpers - 6 in 1 Styling Kit - 190 degree centigrade styling temperature for long lasting result - Less damage with ceramic coating on every heat attachment for better care of your hair - Ease of usage: Auto shut-off function after 60 min, ready to use LED indicator and Pouch for easy storage - Heat up time of 3 minutes - Voltage: 110-240V - Frequency: 50-60Hz - Power: 32-35W Kit includes - 16mm curling tong - Brush sleeve for 16mm tong - Crimper with 2-in-1 convertible flat and crimper plates - Two hair clips</p> | 5 |

| | | |
|-----|--|---|
| | or equivalent | |
| 6. | Magnifying Glass Hands Free Magnifying Glass With Light & Stand, 2x 4x 3 inches (75mm) lens: 2x magnification 2x lens focal length: 4 inch 0.7 inch (18mm) lens: 4x zoom 4x lens focal length: 2 inch Handle length: 4.3 inch (11cm)Stand height: adjustable between 3.5" to 6" or equivalent | 3 |
| 7. | Hair Connector | 3 |
| 8. | Foot spa Ivation Foot Spa Massager - Heated Bath, Automatic Massage Rollers, Vibration, Bubbles, Digital Adjustable Temperature Control, 3 Pedicure Attachments 1 Ivation Multifunction Foot Spa 1 Brush Attachment 1 Acupressure Attachment Power Rating: 120V, 50Hz - Plug 110v Power Output: 450W Dimensions: 16.5" x 14.9" x 9.2" Weighs in at 6.7 lbs. Display: LCD Features: Timer, Heat & Massage Controls | 5 |
| 9. | Facial Steamer Spa-Quality Nano-Ionic Facial Steamer - EH-SA31VP Nano-sized Ionic Steam Particles Moisturize Skin for Deep Moisture Retention Simple 6-minute spa Hot steam helps to lift dirt & oil off skin Compact, stylish design Easy operation <ul style="list-style-type: none"> • Water Tank: Yes • No. of Settings: 2 (Full, Half) • Full Course: Approx. 6 minutes • Half Course: Approx. 3 minutes • Steam temperature: Approx. 40 °C • Power Supply: 120V, 60 Hz • Power Consumption: 290 Watts | 3 |
| 10. | Paraffin Heater Easy to adjust the range of heat volume by turning a big knob.- Enables to adjust minute heat volume from maximum to small.- Tell the time of refueling with "Fuel Sign". Dimensions (H) x (W) x (D):46.7 x 61.8 x 32.4 cmHeater type: RadiantHeating output Max.: 9,800BTU/h / 2.87kW / 2,470kcal/hMin. 7,800BTU/h / 2.29kW / 1,970kcal/hFuel consumption rate: 0.279 - 0.223L/hFuel tank capacity: 5.0LContinuous hours of heating: Approx. min. 17.9-max. 22.4 hours | 2 |

| | | |
|-----|--|----|
| 11. | <p>Double Waxheater. Digital, double wax heater Offers versatility and extra capacity for larger or busier salons Includes a 500cc heater and a 1000cc heater Ensures fast, easy heating of wax Features an inner bucket for the 1000cc heater Includes a removable lead Digital temperature display</p> <p style="text-align: right;">2 heating chambers Size: 1 Litre & 0.5 Litre</p> | 2 |
| 12. | <p>facial Trolleys Paragon H-2 Facial Trolley w/ 3 Shelves & Power Strip Paragon H-2 Facial Trolley - Features powder-coated metal frame, 3 glossy white laminate over engineered wood shelves with one storage drawer. UL Listed four -outlet surge protector. Comes with fitting for mag lamp. Dimensions: 19"W x 15"D x 33"H Height between shelves: 1st Shelf 9 1/2" 2nd Shelf 6 1/2"</p> | 5 |
| 13. | <p>Bleach Brush Plastic bowler and colorful fine brush for polisher Unit (EA) Height (16.8) Width (9.5) Extra long brush for greater control</p> | 10 |
| 14. | <p>Bowles 10-inch Plastic Mixing and Serving Bowls set of 6 in 3 Assorted Colors Material: Plastic Dimensions: 10"Diam x 3-5/8"H</p> | 10 |
| 15. | <p>Blackhead Remover Electric Pore Vacuum By Uvenux (Professional Acne/Blackhead Removal Treatment) Instructions: Power Button (On And Off) Red light Indicator: Low Power (Need to charge) Green Light Indicator: Full Power Includes: -USB cable (1), -Multifunctional Suction Heads (5), -Seal Rings - Sponges Features: 1-Suction bigger than traditional comedo suction probe 2- Replaceable suction heads suitable for different skin textures 3-Different suction head, different function (Heads usually control suction) 4-Rechargeable (2.5 Hour Charge Life, 1.5 Hour Charge Time)</p> | 10 |

| | | |
|-----|---|---|
| 16. | <p>Manicure Set stainless steel 2 x Nail Clippers: Trim finger nails 1 x Large Nail Clipper: Trim hard and thick toenails 1 x Cuticle Nipper: Trim cuticles 1 x Nail File: Make nails rounded,smooth 1 x Dead Skin Fork: Trim surface,agnail,callus,deadskin,etc 1 x Tweezer: pluck eyebrow and ingrown hairs 1 x Scissors: trim eyebrow 1 x Cuspidal/Obtuse push-type broach: trim nail keratin and remove scrape nail polish 1 x Nail Cleaning Knife: Cleaning dirt in nails 1 x Ear Pick: Ear cleaning 1 x Acne needle : Blackhead/Acne removing 1 x Flat Callus Remover: Cleaning dead skin on foot 1 x Olique Callus Remover: Cleaning dead skin on foot 1 x Zigzag Callus Remover: Cleaning dead skin on foot Case size:6.3x1.1x4 inches</p> | 5 |
| 17. | <p>Pedicure Set Made of stainless steel 1 large nail clipper, 1 pair of tweezers, 1 cuticle pusher, 1 cuticle trimmer, 1 cuticle knife</p> <p>Set Includes: 1 small nail clipper, 1 pair of nail scissors, 1 nail file, 1 nail cleaner, 1 ear cleaner,</p> | 5 |
| 18. | <p>Facial Bed Maxi Comfort Facial Bed / Hydraulic 360° Swivel by Equipro• For facial, electrolysis and depilation• Effortless hydraulic system 360° swivelling• Adjustable headrest• Manual adjustable backrest & legrest• 15° tilting system for lay-z-boy position• Ease of access for face and neck treatment• Backrest cushion with lumbar support• Removable ergonomic armrest (optional)• Ultra-white, ultra-resistant vinyl• Color choice available on special order• Weight : 152 lbs / 69 kg• Dimension : 26.5" - 33.5"H x 24" x 71"</p> | 3 |
| 19. | <p>Small Scissors Supreme Quality German Stainless Steel Linen Wrap Scissor 4.0" With Comfortable Red Color Wide Dail Rings And Pointed Slim Straight Sharp Blades</p> | 5 |
| 20. | <p>Cutting Scissors Professional Hair Cutting Scissors Size: 6 inch Total Length: 17.5cm Hand Type: Right Hand Blade Material: Japan 440c Handle Material: Stainless Steel Stainless Steel Type: 9cr13 Hardness: 62HRC</p> | 5 |
| 21. | <p>Shampoo BowlSet • World Pride Plastic Shampoo Bowl Shampoo Sink Beauty Salon Barber Shop Hair Equipment• Dimension: 55 x 49.5 x 25.5 cm/ 21.7 x 19.5 x</p> | 3 |

| | | |
|-----|--|---|
| | 10" (LxWxH)• N.W.: 3.7 Kg/8.16 Lb• Wall mounting bracket provided for easy installation on shampoo bulkhead, wall or wet station• Suitable to be used in beauty salons, barber shops, massage parlors or at home• Comes with black shampoo sink, water hose, faucet handle and hanging bracket | |
| 22. | Exfoliating machine Effective Skin Cleansing: Dual Motion Technology Exfoliating: Dead skin cells removal Gentle: As gentle as hand-cleansing Reduce Black Heads: For a clean look Reduce Visible Pores: For a clean look Waterproof: Can be used in the shower Cordless: Up to 20 uses without charging Handle: Ergonomic for good grip Brush Heads: 2 Oil control brush heads, Deep Pore brush head, Precision brush head Power Adapter: 100-240V adapter Charging Time: 8 hours Power System: Rechargeable battery Running Time: 20 times uses of 1 minute each Voltage: 100-240 V | 2 |
| 23. | Galvanic Machine 1. Diamond Tips Microdermabrasion Facial Peel 2. Ultrasound Facial Treatment 3. Ultrasonic Skin Scrubber/Spatula Blade 4. Galvanic Facial SPA Therapy 5. High Frequency 6. Hot and Cold Massage Hammer 7. Rotary Cuticle Brushing 8. Cosmetics Essence Sprayer 9. Vacuum Pores Cleaner Technical Parameters: -Voltage: 110V/60Hz, 220V/50Hz -Power: 150W | 1 |
| 24. | Infrared Lamp Beurer Infrared Lamps for Pain Relief Model : IL-30 Pleasant heat Pressed glass bulb 3-level electronic timer with LED display Switch-Off function once set timer level has elapsed Exclusive design Adjustable screen: 5 tilt positions 100 watt | 2 |
| 25. | Measuring Cup sets Four (4) measuring cups: Capacity Medium: Two cups/liters Capacity Large: four cups/liters , Material: Glass Small: One cup/liter , Extra-large: Eight cups/liters | 5 |

| | | |
|-----|---|----|
| 26. | Measuring Glass sets 2-1/4" diameter x 3-1/2" H, with a 5 ounce capacity, set of 2 Transparent glass with red imprinting Graduated measurements in ounces, milliliters, and teaspoons Stylish Anchor Hocking logo on front Great for measuring solids and liquids Hand wash | 5 |
| 27. | Measuring Spoon sets Ideal for measuring spices or liquids Made of stainless steel Each spoon is clearly marked with ml and teaspoon and tablespoons measurements Spoons held on an interlocking hanging ring 15, 7.5, 5, 2.5, 1.25 ml measurements | 5 |
| 28. | Mixing Bowles set Nesting design Nonslip base for added stability Wide spout for pouring Material: Plastic Set of of 5 bowl Set includes: 1.5-qt. mixing bowl 2.5-qt. mixing bowl 3.5-qt. mixing bowl 4.5-qt. mixing bowl 5-qt. mixing bowl | 10 |
| 29. | Barber Brush | 10 |
| 30. | Hair Brush | 5 |
| 31. | Roller Brush set 5 in 1 Round Styling Brush Tool Full Set, Medium Set includes 4 additional brush heads Dry, style and set all in one step. Medium set - 2" diameter for medium length hair To be used with a hair dryer (not included) Produces body, volume and loose flowing curls | 5 |
| 32. | Tinting Brushwith Comb | 5 |
| 33. | Frosting Cap Disposable, Bleed proof inner liner | 5 |
| 34. | Perming Cap Traditionally shaped, polythene processing caps. Perfect for all tinting, perming and straightening services. | 10 |
| 35. | Hair Clips set Girl hair accessories set hanging clips Mini elastic hair bands Material: Plastic/Polyster Glitter hair Flower shape plastic hair claws Polytail holders | 10 |
| 36. | All Propose Comb | 20 |
| 37. | Bath Comb | 10 |
| 38. | Large Tooth Comb | 10 |

| | | |
|-----|---|----|
| 39. | <p>Strong therapy set</p> <ul style="list-style-type: none"> • Product Type: Massage & Relaxation • Size: Multi-size SML • Partomer: 4PCS White Massage Cups • Material: 100% Silicone • Application: Full Body • Item Type: Massage Cupping Set • Color: White / Blue • Size XL Cup: Approx.100 x 72mm Height / Width • Size L Cup: Approx.75 x 55mm Height / Width • Size M Cup: Approx.60 x 40mm Height / Width • Size S Cup: Approx.45 x 30mm Height / Width • Function: Pain Relief, Release Toxins, Relax Muscles, Anti-aging • Weight: Approx.260g | 1 |
| 40. | <p>Hair Pins Boxes★Product Name: Bobby pins;</p> <ul style="list-style-type: none"> ★ Size: 2.5 inches In Length ★ Material: Metal. ★Color: Rose Gold Same as Picture ★Package Content: 62 pcs Counted packing with a Plastic box. ★Smooth Surface to Protect Hook up Your Hair ★The Novel Designs is Attractive and Suitable for Any Occasion. | 10 |
| 41. | <p>Invisible Pins Boxes 100% brand new and high quality.</p> <p>Material: Alloy Treatment process: Electroplate Size: 4cm Pack Size: 60pcs Color: Black Shape: Wave Straight Pins Grips Barrette</p> | 5 |
| 42. | <p>Jumbo Rollers</p> <p>set 5 jumbo, 1.5" rollers and super clips for smooth curls and voluminous waves Flocked velvety roller surface, Stay-cool end rings Dual voltage for worldwide travel, More heat protection for all types of hair Line cord is 5-feet in length. Dual Voltage- 120V / 240V Heats up in 2 min</p> | 5 |
| 43. | <p>Large Size Rollers</p> <p>6pcs / pack Roller Hair big size roll bangs loop artifact double layer self-adhesive curlers hair tube foam rollers Super soft hair and sleeping beauty sponge hair volume roll length: 6 cm roll diameter: 4 cm [weight]: approximately 0.056 kg. [material]: sponge + plastic [pink color [size]: 6pcs / package</p> | 5 |

| | | |
|-----|---|---|
| 44. | Medium Size Rollers Twenty multi-size, tangle-free rollers; Eight 1/2-inch (small) , Six 3/4-inch (medium), Six 1-inch (large) Compact plastic hairsetter Ready signal – lights up red when hairsetter is on and ready to use Starter grip patented roller design – grips hair for a fast and secure set for a variety of styles | 5 |
| 45. | Small Size Hair Rollers Wires | 5 |
| 46. | Curling Rods(Small, Medium, Large) Package included: 10pcs rollers (random color)Material: Soft foam sponge Size(approx.): Length 24cm, Diameter: 1cm, 1.2cm, 1.4cm, 1.6cm, 1.8cm Easy to create curls For all hair types wet or dry | 5 |
| 47. | Hand Mirrors Glass Plastic frame 6 inch round with stand | 5 |

Annexure-A4

“List Of Tools & Equipment For Dress Design& Making (M/F)”

| Sr. # | Item Description | Qty |
|-------|--|-----|
| 1. | Industrial/Domestic lock stitch machine | 6 |
| 2. | Button making machine | 2 |
| 3. | Fabric cutting scissor | 10 |
| 4. | Simple scissor | 10 |
| 5. | Measuring tape | 10 |
| 6. | French curve | 10 |
| 7. | Hip curve | 10 |
| 8. | Steel scale | 10 |
| 9. | L-Shape scale | 10 |
| 10. | Set square | 10 |
| 11. | Tracing wheel | 10 |
| 12. | Iron | 5 |
| 13. | Loop turner | 10 |
| 14. | Paper cutter | 10 |
| 15. | Sewing Machine | 25 |

Annexure-A5

PROVISION OF CCTV SURVEILLANCE SYSTEM.

| S.No. | Item | Description | Qty |
|-------|---------------------------------|---|------|
| 1 | Indoor Camera | 2 MP / 30M IR Fixed Bullet Network Camera <ul style="list-style-type: none"> • 1/2.8" CMOS • 1920 ×1080@30fps • fixed lens • H.265+ • Three streams • 120dB WDR • 2 Behavior analyses, and face detection • BLC/3D DNR/ROI • IP67 • Built-in micro SD/SDHC/SDXC card slot | 6 |
| 2 | Outdoor Camera | 2 MP / 80M IR Fixed Bullet Network Camera <ul style="list-style-type: none"> • 1/2.8" CMOS • 1920 ×1080@30fps • fixed lens • H.265+ • Three streams • 120dB WDR • 2 Behavior analyses, and face detection • BLC/3D DNR/ROI • IP67 • Built-in micro SD/SDHC/SDXC card slot | 6 |
| 3 | 16 channel NVR | 4K NVR with 2 SATA interfaces <ul style="list-style-type: none"> • Third-party network cameras supported • Support 1-ch HDMI, 1-ch VGA, HMDI at up to 4K(3840x2160) resolution • 160Mbps incoming bandwidth • Support H.265/H.264/MPEG4 video formats | 1 |
| 4 | Hard Disk | 4TB Surveillance Hard Disk | 1 |
| 5 | Cabling | Pure Copper 23AWG CAT6 (ISO Certificated) Branded Power Cable 3/29 Black/Red, (ISO Certificated) including Branded PVC Pipe and Dura duck (ISO Certificated) /Running Foot (As per required) | 1500 |
| 6 | Network Switch | Web-managed PoE switch with 16 100M ports PoE + 2 ports COMBO Power Switch max : 230W 802.3af/at PoE standard; Data monitor and control. VLAN configurable; Port trunk; STP, multicast and port mirroring. With 2U Rack and Power Extension Board, Etc... | 1 |
| 7 | LED 40" | 40 Inch LED, 1920x1080 resolution with HDMI and official warranty | 1 |
| 8 | 2 KVA UPS with suitable Battery | Branded 2 KVA UPS With 2 x Branded Acid Battery 230 Amp (27 Plats) with Installation 12U Cabinet Rack - Dust proof with Fan, power supply and all fitting | 1 |

| | | | |
|----|---|--|---|
| | | arrangements. | |
| 9 | Installation and Transportation charges | IP CCTV Camera and Cabling electric wiring Installation, Testing, Commissioning, Staff Training, Delivery and Traveling, Programming and Handing Over of Complete System (Per Institute) | 1 |
| 10 | 10 KVA Generator | 10 KVA Generator | 1 |