

**COMPARATIVE STATEMENT FOR PROJECT: RE-CONSTRUCTION OF WOOLLEN METAL CENTER MIRANSHAH DISTRICT  
NORTH WAZIRISTAN**

**DATE OF TENDER OPENING 09-03-2022  
LIST OF EQUIPMENT FOR ELECTRICIAN TRADE**

Item No.	Name of Items	Take Care Peshawar							Electrical Engineering Services, Lahore								
		C.S		P.C		P.L.P		T	Model	C.S		P.C		P.L.P		T	Model
		40	5	5	2	4	4	60		40	5	5	2	4	4	60	
1	Drill machine electric portable 1/2" 230V, Universal type imported	40	0	0	2	0	1	43	China	40	0	0	0	0	4	44	China
2	Drill Machine Electric table mounted type with stand and vice 2150V, AC 1/2" capacity.	40	0	0	2	0	1	43	China	40	0	0	0	0	4	44	China
3	Grinder 250V, single phase 8" heavy duty ball bearing type with pedestal	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
4	Transformer current 1 to 5 ratio 20 amp imported	0	0	0	0	0	0	0	Rejected Offered Spect Not Meet	40	0	0	0	0	4	44	China
5	Transformer potential 450 V/110V imported	0	0	0	0	0	0	0	Rejected Offered Spect Not Meet	40	0	0	0	0	4	44	China
6	Armature test growler to operate on AC 250V, single phase 50cycle supply used to detect earth open circuit short circuit reserved connection. Incorrect earth open circuit short circuit reserved connection. Incorrect turns and coil spacing equivalent.	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
7	Battery charger metal rectifier with ampere meter 6 amps 12 V to operate on 220 V, AC single phase 50 cycle supply.	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
8	L.B.H.T compound wound motor DC 250V, 1500 RPM complete with starter and main switch having over load and no load release coil imported.	0	0	0	0	0	0	0	Rejected Offered Spect Not Meet	40	0	0	0	0	4	44	China

<b>9</b>	Electric motor AC Repulsion type 1 hp 230 V, single phase 1450 rpm 50 cycle imported.	0	0	0	0	0	0	0	0	Rejected Offered Spect Not Meet	40	0	0	0	0	4	44	Italy
<b>10</b>	Electric motor AC Induction type 1 hp 230 V, single phase 50 cycle. Squirrel cage.	40	0	5	2	0	1	48		Pak	40	0	0	0	0	4	44	China
<b>11</b>	Electric Motor AC Induction capacitor type ¾HP 230V, single phase 50 cycle.	40	0	5	2	0	1	48		Pak	40	0	0	0	0	4	44	China
<b>12</b>	Electric motor AC Induction type squirrel cage ¾ hp 230 V, three phase 1500 rpm 50 cycle, complete with star delta starter and main switch.	40	0	5	2	0	1	48		Pak	40	0	0	0	0	4	44	China
<b>13</b>	Universal Motor AC/DC 250V, ½ HP AC 50Cycle single phase supply imported	0	0	0	0	0	0	0		Rejected Offered Spect Not Meet	40	0	0	0	0	4	44	China
<b>14</b>	Direct on starter for single phase AC motor 250 V, 50 cycle.	40	0	5	2	0	1	48		Pak	40	0	0	0	0	4	44	China
<b>15</b>	Motor Generator set consisting of 5 HP 3 phase 400V, 50 Cycle AC compound wound generator 250V, 3KW approx. complete with starter and main switch having overload and on voltage release should be mounted on the same bed plate imported	40	0	5	2	0	1	48		Pak	40	0	0	0	0	4	44	China
<b>16</b>	Step down transformer 3 phase 4 wire primary delta connected secondary 220/110 cycle volts star Delta connected 3 phase 4 wire 1KW	40	0	5	2	0	1	48		Pak	40	0	5	0	0	4	49	Pak
<b>17</b>	Tachometer multiple range 0-10000rpmn to measure rpm direct on shaft imported	40	0	0	2	0	1	43		China	40	0	0	0	0	4	44	China
<b>18</b>	Conduit bending machine for conduit pipe size 5/8 " to 2" imported	40	0	0	2	0	1	43		China	40	0	0	0	0	4	44	China
<b>19</b>	Step down transformer single phase primary 250 volt, 50 cycle secondary 110V, 1 kW	40	0	5	2	0	1	48		Pak	40	0	0	0	0	4	44	China
<b>20</b>	Pliers Electrician Diagonal cutting 8" long and 6" long imported	40	0	0	2	0	1	43		China	40	0	5	0	0	4	49	Pak
<b>21</b>	Pliers Electrician Diagonal cutting 10" long imported	40	0	0	2	0	1	43		China	0	0	0	0	0	0	0	Not Quoted
<b>22</b>	Plier long nose round 6" long	40	0	5	2	0	1	48		Pak	40	0	0	0	0	4	44	China

<b>23</b>	Plier flat nose 6" long	40	0	5	2	0	1	48	Pak	40	0	0	0	0	4	44	China
<b>24</b>	Plier side cutting 6" long	40	0	5	2	0	1	48	Pak	40	0	0	0	0	4	44	China
<b>25</b>	Screw drivers Philips type 8"	40	0	5	2	0	1	48	Pak	40	0	0	0	0	4	44	China
<b>26</b>	Screw drivers Philips type 4"	40	0	5	2	0	1	48	Pak	40	0	0	0	0	4	44	China
<b>27</b>	Screw drivers watch man sets	40	0	5	2	0	1	48	Pak	40	0	0	0	0	4	44	China
<b>28</b>	Pokers 8" blade	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>29</b>	Chisel plane socket wood width ¼"	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>30</b>	Chisel wood width ½"	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>31</b>	Chisel width ¾"	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>32</b>	Chisel width 1"	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>33</b>	Centre punches set (Number 0-9)	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>34</b>	Centre punches	40	0	5	2	0	1	48	Pak	40	0	0	0	0	4	44	China
<b>35</b>	Hammer ball pein ½ lb	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>36</b>	Hammer ball pein 1 lbs	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>37</b>	Hammer Ball pein 2 lbs	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>38</b>	Hammer sledge 10 lbs.	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>39</b>	Hammer carometer (Nail hammer )1 lb	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>40</b>	Drill twister 1 to 60 hss straight shank imported	40	0	0	2	0	1	43	China	40	0	0	0	0	4	44	China
<b>41</b>	Drill twist fractional HSS 1 16", 1/2" imported	40	0	0	2	0	1	43	China	40	0	0	0	0	4	44	China
<b>42</b>	Electric/hand drill machine 220V, 50Hz ½ " imported	40	0	0	2	0	1	43	China	40	0	0	0	0	4	44	China
<b>43</b>	Drill pedestal type heavy duty, 220V, 50Hz, ¾"	40	0	0	2	0	1	43	China	40	0	5	0	0	4	49	Pak
<b>44</b>	Packet bit brace 10": sweep with handle imported	40	0	0	2	0	1	43	China	40	0	0	0	0	4	44	China
<b>45</b>	File regular mill 8" bastered with handle imported	40	0	0	2	0	1	43	China	40	0	0	0	0	4	44	China
<b>46</b>	File regular mill 8" smooth, with handle imported	40	0	0	2	0	1	43	China	40	0	0	0	0	4	44	China
<b>47</b>	File half round 10": bastered, with handle imported	40	0	0	2	0	1	43	China	40	0	0	0	0	4	44	China
<b>48</b>	File half round 6" smooth, with handle imported	40	0	0	2	0	1	43	China	40	0	0	0	0	4	44	China
<b>49</b>	File round 6" bastered, with handle imported	40	0	0	2	0	1	43	China	40	0	0	0	0	4	44	China
<b>50</b>	File round 12" bastered, with handle imported	40	0	0	2	0	1	43	China	40	0	0	0	0	4	44	China
<b>51</b>	File triangular 6" with plastic handle, imported	40	0	0	2	0	1	43	China	40	0	0	0	0	4	44	China
<b>52</b>	File knife type 6" with plastic handle, imported	40	0	0	2	0	1	43	China	40	0	0	0	0	4	44	China
<b>53</b>	File rasp 8" with plastic handle, imported.	40	0	0	2	0	1	43	China	40	0	0	0	0	4	44	China
<b>54</b>	Watchman files sets complete	40	0	0	2	0	1	43	China	40	0	0	0	0	4	44	China
<b>55</b>	Hacksaw frames adjustable	40	0	0	2	0	1	43	China	40	0	0	0	0	4	44	China

<b>56</b>	Hacksaw blades 24 teeth /inch	40	0	0	2	0	1	43	China	40	0	0	0	0	4	44	China
<b>57</b>	Hacksaw blades 32 teeth/inch	40	0	0	2	0	1	43	China	40	0	5	0	0	4	49	Pak
<b>58</b>	Scissors pair 10"	40	0	5	2	0	1	48	Pak	40	0	0	0	0	4	44	China
<b>59</b>	Scissors pair 4"	40	0	5	2	0	1	48	Pak	40	0	0	0	0	4	44	China
<b>60</b>	Tin snip shear 10"	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>61</b>	Saw wooden compass saw 12"	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>62</b>	Saw key hole 10"	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>63</b>	Saw tenon 2"	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>64</b>	Saw sets 6"	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>65</b>	Plumb Bob 2 oz. brass	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>66</b>	Gauge British standard wire upto 450 WG imported	40	0	5	2	0	1	48	Pak	40	0	0	0	0	4	44	China
<b>67</b>	Gauge wire American imported	40	0	5	2	0	1	48	Pak	40	0	0	0	0	4	44	China
<b>68</b>	Scales steel rules 12" imported	40	0	5	2	0	1	48	Pak	40	0	0	0	0	4	44	China
<b>69</b>	Scales steel rules 6" imported	40	0	5	2	0	1	48	Pak	40	0	0	0	0	4	44	China
<b>70</b>	Seasecarlanter 2footrule (folding foot rule 2m)	40	0	5	2	0	1	48	Pak	40	0	0	0	0	4	44	China
<b>71</b>	Physical balance with weight in lbs.	40	0	5	2	0	1	48	Pak	40	0	0	0	0	4	44	China
<b>72</b>	Met measuring tape100ft	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>73</b>	Can oil ½ litr capacity imported	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>74</b>	Grease Gun, imported	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>75</b>	Die set conduit ½" to 2"	40	0	5	2	0	1	48	Pak	40	0	0	0	0	4	44	China
<b>76</b>	Tap set complete with die sets	40	0	5	2	0	1	48	Pak	40	0	0	0	0	4	44	China
<b>77</b>	Vice bench 4" jaw width.	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>78</b>	Vice pipe 4"	40	0	5	2	0	1	48	Pak	40	0	0	0	0	4	44	China
<b>79</b>	Plane jack smooth plane with 2 cutters	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>80</b>	Plane jack medium size	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>81</b>	Pincer pair 8"	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>82</b>	Gimlet 13" x ¾"	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>83</b>	Gimlet 15"x3/4"	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>84</b>	Twizer watchman straight.	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>85</b>	Twizer watch bend type	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>86</b>	Pullers two legs 8"	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>87</b>	Pullers 3legs 12"	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>88</b>	Cutters pipe for conduit 2"	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak

<b>89</b>	Spanner double ended sets ¼" to 1"	40	0	5	2	0	1	48	Pak	40	0	0	0	0	4	44	China
<b>90</b>	Spanner screw wrench 8"	40	0	5	2	0	1	48	Pak	40	0	0	0	0	4	44	China
<b>91</b>	Spanner box ½" to 1" spanner set	40	0	5	2	0	1	48	Pak	40	0	0	0	0	4	44	China
<b>92</b>	Spanner pipe wrench 10"	40	0	5	2	0	1	48	Pak	40	0	0	0	0	4	44	China
<b>93</b>	Soldering Iron Ordinary cap: bit 1", 220V 100Watt	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>94</b>	Soldering Iron Electric , 220V, 100W	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>95</b>	Soldering Iron electric 220V 300W	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>96</b>	Lamp blow medium size (complete)	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>97</b>	Tester phase pocket 220V current, impoted	40	0	0	2	0	1	43	china	40	0	5	0	0	4	49	Pak
<b>98</b>	Hydrometer with temperature gauge(Acid capacity upto 1300)	40	0	5	2	0	1	48	Pak	40	0	5	0	0	4	49	Pak
<b>99</b>	Battery tester high rate discharger 2V	40	0	5	2	0	1	48	Pak	40	0	0	0	0	4	44	BT-100DChina
<b>100</b>	Watt Meter AC 0-1000W, imported	40	0	0	2	0	1	43	china	40	0	0	0	0	4	44	China
<b>101</b>	Volt meter AC 0-500V imported.	40	0	0	2	0	1	43	china	40	0	0	0	0	4	44	China
<b>102</b>	Ampere meter AC 0-20A	40	0	0	2	0	1	43	china	40	0	0	0	0	4	44	China
<b>103</b>	Digital Logic Trainer complete	40	0	5	2	0	1	48	Pak	40	0	5	0	4	4	53	IT-300 EES Pak
<b>104</b>	Analog Trainer complete	40	0	5	2	0	1	48	Pak	40	0	5	0	4	4	53	IT-200 EES Pak
<b>Engr: Sana Ullah,</b> _____ <b>Lecturer (Electrical) GCT, Nowshera</b>		<b>Mr. Sohail Gul,</b> _____ <b>Assistant Professor (Electrical) GCT, Peshawar</b>															



17	Acetylene cylinder empty	40	0	0	0	0	0	4	44	China	0	0	0	0	0	0	0	Not Quoted
18	Welding and cutting set including acetylene and oxygen regulator , cutters and welding sets , nozzles high pressure pipe , Lighter , goggles tip cleaner etc.	40	0	0	0	0	0	4	44	China	0	0	0	0	0	0	0	Not Quoted
19	Welding helmet	40	0	5	0	0	0	4	49	Pak	40	0	5	2	0	4	51	LOCAL
20	Chipping Hammer	40	0	5	0	0	0	4	49	Pak	40	0	5	2	0	4	51	LOCAL
21	Welding Gloves	40	0	5	0	0	0	4	49	Pak	40	0	5	2	0	4	51	LOCAL
22	Welding Gas Generator	40	0	5	0	0	0	4	49	Pak	40	0	5	2	0	4	51	LOCAL
23	Bench vice 5"	40	0	5	0	0	0	4	49	Pak	40	0	5	2	0	4	51	LOCAL
24	Hacksaw frame	40	0	0	0	0	0	4	44	China	40	0	5	2	0	4	51	LOCAL
25	Hacksaw blade single edge	40	0	0	0	0	0	4	44	China	40	0	5	2	0	4	51	LOCAL
26	Hacksaw blade double edge	40	0	0	0	0	0	4	44	China	40	0	5	2	0	4	51	LOCAL
27	Angle grinder 4 1/2 " size	40	0	0	0	0	0	4	44	China	40	0	5	2	0	4	51	LOCAL
28	Measuring tape 6 meter	40	0	0	0	0	0	4	44	China	40	0	5	2	0	4	51	LOCAL
29	Try square 6", 8"	40	0	0	0	0	0	4	44	China	40	0	0	2	0	4	46	China
30	Electric Hand Drill Machine 1/2 "	40	0	0	0	0	0	4	44	China	40	0	0	2	0	4	46	China
31	3 Phase Welding Transformer , copper winding with standard accessories(POL)	40	0	5	0	0	0	4	49	Pak	0	0	0	0	0	0	0	Not Quoted
32	Power Hammer, 100 kgs capacity, 2 HP motor, 50Hz, 3 phase, tropicalized, complete with dyes, one set face dyes	40	0	5	0	0	0	4	49	Pak	0	0	0	0	0	0	0	Not Quoted
33	Anvil., 30 kg, solid steel best quality.	40	0	5	0	0	0	4	49	Pak	0	0	0	0	0	0	0	Not Quoted
34	Pipe cutter, 3mm to 50mm capacity one flat roller, two cutter wheels.	40	0	0	0	0	0	4	44	China	40	0	0	2	0	4	46	China
35	Cutter wheels to fit 3mm to 50mm capacity pipe fitter.	40	0	0	0	0	0	4	44	China	40	0	0	2	0	4	46	China
36	Pipe vice, 3mm to 100 mm capacity	40	0	0	0	0	0	4	44	China	40	0	5	2	0	4	51	LOCAL
37	Sheet cutter,	40	0	5	0	0	0	4	49	Pak	0	0	0	0	0	0	0	Not Quoted
38	Gas welding table, 675mm x 475mmx 825mm top covered with fireproof bricks.	40	0	5	0	0	0	4	49	Pak	40	0	5	2	0	4	51	LOCAL

**Engr. Muhammad imtiaz** \_\_\_\_\_  
**Associate Professor GCT, Peshawar**

**Mr. Shehzad Jameel,** \_\_\_\_\_  
**S.Instructor GTVC (B) Gul Bahar Peshawar**

**Mr. Muhammad Hassan,** \_\_\_\_\_  
**GATTC Hayatabad Peshawar**

**Engr. Azhar Ullah,** \_\_\_\_\_  
**Lecturer, Mech GWMC miranshah**

**COMPARATIVE STATEMENT FOR PROJECT: RE-CONSTRUCTION OF WOOLLEN METAL CENTER MIRANSHAH DISTRICT NORTH WAZIRISTAN**  
**DATE OF TENDER OPENING 09-03-2022**  
**LIST OF EQUIPMENT FOR METAL WORK SHOP**

Item No.	Name of Items	Take Care Peshawar							Al-Waqas associate, Lahore								
		C.S		P.C		P.L.P		T	Model	C.S		P.C		P.L.P		T	Model
		40	5	5	2	4	4	60		40	5	5	2	4	4	60	
1	Sheet bending machine 4 feet Pak Made	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
2	shear Machine 4 feet Pak Made	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
3	Sheet rolling machine 3 feet Pak Made	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
4	Power hack saw Machine 14" blade	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	LHS-016
5	Electric Drilling Machine (Bench Type ) Capacity 1/2" (single phase) 1/2 HP 220/230V 50 cycles	40	0	5	2	0	4	51	China	40	0	0	0	0	4	44	China
6	Grinder single phase with grinding wheel 8" (Bench Type)	40	0	5	2	0	4	51	China	40	0	5	0	0	4	49	Pak
7	Working table size 3' x 8'	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
8	BENCH Vice or drilling vice 5"	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
9	Machine vice or drilling vice 4"	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
10	Electric Hand drill machine portable (light Duty)	40	0	5	2	0	4	51	China	40	0	0	0	0	4	44	China
11	Flat file bastard (double cut) 12"	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
12	Single cut File 12"	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
13	Round, half round, square, triangle file 12"	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
14	Needle file set 6"	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
15	Hammers claw ball peen straight peen 1/2 pound each cross peen sledge	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
16	Maliet /Plastic hammer	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
17	Tin cutter or snips	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
18	Hand vice 6"	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
19	Hand hack saw (fixed & adjustable frame)	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
20	Hand hack saw blades D/edge 12"	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China



<b>21</b>	Hollow Punch 6"	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>22</b>	Center Punch 4"	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>23</b>	Chisels cold cap round nose, flat diamound nose 6"	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
<b>24</b>	Pin punch set 6"	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>25</b>	Steel Foot rules 12" or 30 cm	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>26</b>	Tri square 6" or 15 CM	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>27</b>	Letter Punch	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>28</b>	Riveter or rivet gun	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>29</b>	Number Punch	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>30</b>	Safety goggles	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>31</b>	Twist drill set (1.00 -13 mm ) / 1/8 " 10 1/2 "	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>32</b>	Hand tapes different sizes with handle / wrench e.g. M 8 X 1.25 mm, M10 x 1.5 mm, M12 x 1.75 mm, M16 x 2.0 mm	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>33</b>	Hand Die set (1/8" - 1/2") and (1 mm - 13mm) set	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
<b>34</b>	Scriber 6"	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
<b>35</b>	Outside Caliper 6"	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
<b>36</b>	Inside Caliper 6"	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
<b>37</b>	Odd leg Caliper 6"	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>38</b>	Divider 6"	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>39</b>	Screw driver (flat + Phillips)	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>40</b>	Pliers 6"	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>41</b>	Cutter pliers 6"	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>42</b>	Spanner set (double / single different sizes) BSW / metric	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>43</b>	Adjustable wrench (6", 8", 10"	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>44</b>	Pipe wrench (10", 14", 18")	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>45</b>	C. Clamps	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>46</b>	Surface Gauge	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
<b>47</b>	Steel Tape rule 92m)	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>48</b>	Hook foot rule 12"	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>49</b>	Allen key set	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China

<b>50</b>	Dresser	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
<b>51</b>	Vernier Calipers (0-15cm)	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>52</b>	Outside micrometer (0-1") + (0-25mm)	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>53</b>	V Block (3" x 3")	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
<b>54</b>	Vernier height gauge (0-30 cm)	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>55</b>	Steel wire Brush	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
<b>56</b>	File card	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
<b>57</b>	Oil Can	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>58</b>	Combination set 12"	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
<b>59</b>	surface plate (60 cm x 60 cm)	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
<p>Engr. Muhammad imtiaz _____ Associate Professor GCT, Peshawar</p> <p>Mr. Shehzad Jameel, _____ S.Instructor GTVC (B) Gul Bahar Peshawar</p>									<p>Mr. Muhammad Hassan, _____ GATTC Hayatabad Peshawar</p> <p>Engr. Azhar Ullah, _____ Lecturer, Mech GWMC miranshah</p>								

**COMPARATIVE STATEMENT FOR PROJECT: RE-CONSTRUCTION OF WOOLLEN METAL CENTER MIRANSHAH DISTRICT NORTH WAZIRISTAN**

**DATE OF TENDER OPENING 09-03-2022**

**LIST OF EQUIPMENT FOR MACHINE SHOP**

Item No.	Name of Items	Take Care Peshawar							Electrical Engineering Services, Lahore								
		C.S		P.C		P.L.P		T	Model	C.S		P.C		P.L.P		T	Model
		40	5	5	2	4	4	60		40	5	5	2	4	4	60	
1	Lathe machine bed length 3 feet, swing 14" along with oil std accessories like 03 jaws and 04 jaws chuck, face plate follow up, chuck key, tool past key, revolving centre, drill chuck, centre drill and tool past etc.	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
2	Bench / pedestal types drill machine with 1/2 " chuck (Pak or Good Quality made v= 220/230v, single phase, 1/2 horse power	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
3	Pedestal types grinding machine (Pak or Good Quality made 220/230v, 1/2 HP 3000 RPM with 01" double sided spindle	40	0	5	2	0	4	51	China	40	0	0	0	0	4	44	China
4	power hack saw machine (Pak or Good Quality Made 18" blade length	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	PMTF
5	Bench wire 05" Pak or Good Quality made	40	0	5	2	0	4	51	Pak	40	0	0	0	0	4	44	China
6	Hand Drill machine light duty 220/230 v single phase	40	0	5	2	0	4	51	China	40	0	0	0	0	4	44	China
7	Drill chuck with taper shank 1/2 " opening (China, Local or Equivalent made)	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
8	Centre drill bits 3/8 " , 1/2"	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
9	Twist drill set 1/8' to 1/2 " / 01 mm to 13 mm (China, Local or Equivalent made)	40	0	5	2	0	4	51	China	40	0	0	0	0	4	44	China
10	Lathe cutting tools HSS (China, Local or Equivalent Made) 1/2 " x 1/2 " x 06"	40	0	5	2	0	4	51	China	40	0	0	0	0	4	44	China
11	Hand Hack saw frame 12" (fixed, China, Local or Equivalent made)	40	0	5	2	0	4	51	China	40	0	0	0	0	4	44	China
12	Screw pitch gauge BSW/ metric type	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
13	Adjustable wrench 8", 10", 12"	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
14	Open spanner set 1/4" to 1/2" China, Local or Equivalent Made	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
15	Steel Rule 12" China, Local or Equivalent	40	0	5	2	0	4	51	China	40	0	0	0	0	4	44	China
16	Vernier caliper digital 8"	40	0	5	2	0	4	51	China	40	0	0	0	0	4	44	China
17	Inside / outside calipers	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
18	Micrometer digital 04"	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
19	Hammer (ball peen, claw Hammer)	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
20	Centre Punch 3/8" , 1/2"	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
21	Knurling tool with single and double cut rollers China, Local or Equivalent made	40	0	5	2	0	4	51	China	40	0	0	0	0	4	44	China
22	Tape and die set 1/8" to 1/2 " BSW and 01 mm to 13 mm Metric type	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
23	Working table 3' x 8'	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
24	Oil cane	40	0	5	2	0	4	51	Pak	40	0	5	0	0	4	49	Pak
<b>Engr. Muhammad imtiaz</b> _____ <b>Associate Professor GCT, Peshawar</b>  <b>Mr. Shehzad Jameel,</b> _____ <b>S.Instructor GTVC (B) Gul Bahar Peshawar</b>		<b>Mr. Muhammad Hassan,</b> _____ <b>GATTC Hayatabad Peshawar</b>							<b>Engr. Azhar Ullah,</b> _____ <b>Lecturer, Mech GWMC miranshah</b>								





**COMPARATIVE STATEMENT FOR PROJECT: RE-CONSTRUCTION OF WOOLLEN METAL CENTER MIRANSHAH DISTRICT NORTH WAZIRISTAN**  
**DATE OF TENDER OPENING 09-03-2022**  
**(COMPUTER)**

Item No.	Name of Items	ZASK Web (PVT) LTD, Peshawar							AURSOFT PESHAWAR								
		C.S		P.C		P.L.P		T	Model	C.S		P.C		P.L.P		T	Model
		40	5	5	2	4	4	60		40	5	5	2	4	4	60	
1	<b>Computer System.</b> <b>Processor: 10th Generation Intel® Core™ i5-10400, 12 MB Cache, 6 Core, 12</b> Threads, 2.9 GHz to 4.3 GHz. Chipset: Intel B460 chipset or higher Memory: 8GB - DDR4, 2666MHz Hard Drive: 500GB+ 7200RPM 3.5" SATA HDD with 1 TB NVMe Support. Optical Drive: 9.5 mm Slimline DVD +/- RW Graphics Card: Intel® UHD Graphics 630 with shared graphics memory or higher Communication: Gigabit Ethernet controller 10/100/1000 (RJ45) Ports: 2 USB 2.0(front), 2 USB 3.2 Gen 1 Type-A (front), 1 HDMI, 1 VGA 2 USB 3.2 Gen 1 Type-A (rear), 2 USB 2.0(rear), 1 RJ-45 Ethernet Wireless: Intel® Wireless-AC 3165 802.11ac 1x1 + Bluetooth 4.2 or higher Keyboard: USB Keyboard and Mouse Display: 18.5" LED Warranty: 3-years Local Provision of Manufacturer / Distributor authorization letter in the name of supplier is mandatory.	40	5	5	2	4	4	60	Dell Vostro 3888 Ci5,10 Gen,08GB,1TB Hard Disc	40	5	5	2	4	4	60	Dell Vostro 3888 Ci5,10 Gen,08GB,1TB Hard Disc

2	<b>LASER JET PRINTER LATEST. MULTIFUNCTIONAL PRINTERS</b> Functions: PRINT/SCANNER/COPY/FAX PRINTER TECHNOLOGY: Laser CONNECTIVITY, STANDARD: 1 Hi-Speed USB 2.0, Fast Ethernet 10/100Base-TX MOBILE PRINTING CAPABILITY: Yes WIRELESS: Yes DISPLAY: 3.0-in (7.62-cm) touch screen CGD PRINT SPEED BLACK: Up to 22 PPM PRINT QUALITY: Up to 600 x 600 dpi (with HPFast Res 1200)	40	0	5	2	4	4	55	HP LaserJet Pro MFP M227fdw	40	0	5	2	4	4	55	HP LaserJet Pro MFP M227fdw
4	<b>Multimedia Projector with Screen &amp; Remote.</b> 3200 Lumens, DLP, 4000 Hrs Lamp Life, HDMI Input, SVGA (600 x 600) Resolution. <b>OR LATEST MULTIMEDIA PROJECTORS</b> Brightness: 3200 Lumen XGA Display System: 3 LCD system Size of effective display area: 0.63"(16mm) x 3, Aspect ratio: 4:3 Number of pixels: 2,359,296 (1024x768 x 3) Zoom: Optical: Manual (Approx. x 1.3) Focus: Manual Throw ratio: 1.37:1 to 1.80:1 Light source: Ultra high pressure mercury lamp 215 W type Lamp mode: High / Standard / Low: 3000 H / 5000 H / 10000 H Filter cleaning cycle*1Max. 1000 Hours Display Screen size: 30" to 300" (0.76 m to 7.62 m) Lamp mode: High / Standard / Low: 3200 lm / 2300 lm / 2000 lm Contrast ratio (full white / full black)*3: 4000:1 Computer signal input: Maximum display resolution: UXGA 1600 x 1200 dots*4 Projector Screen: 8' x 10' Wall Mount with Ceiling Mount Kit complete with installation & Wiring	40	5	5	2	4	3	59	PT-LB-356 Panasonic	36	0	5	2	4	3	50	PA503X VIEWSONIC BUSINESS PROJECTOR
<b>Mr. Muhammad Waqas,</b> _____ <b>Deputy Director (ICT) KP-TEVTA Head Office</b>		<b>Engr. Muhammad Daud,</b> _____ <b>Assistant Prof: (Computer) GPI, Bara</b>															